

# Contact land, press fitment IPP2





## Test Probes & Interfacing Components

Telephone: +44 (0)1787 478678

sales@coda-systems.co.uk

technical@coda-systems.co.uk



Specifications
<b>Materials</b>
Brass CZ121
<b>Plating</b>
0.2µm Au Hard Gold over 2.5-5µm Nickel
<b>Installation</b>
<ul style="list-style-type: none"> <li>• Press fitment or over moulding.</li> <li>• Solder pot or solder in.</li> <li>• Drill hole size; 2.15mm</li> <li>• Panel thickness; 3-7mm</li> </ul>



VERSION <b>No. 1a</b>	DATE <b>25/06/20</b>	THE INFORMATION CONTAINED IN THIS DRAWING IS THE PROPERTY OF © CODA SYSTEMS LTD. NOT TO BE COPIED OR DISCLOSED TO A THIRD PARTY WITHOUT THE PRIOR, WRITTEN CONSENT OF CODA SYSTEMS LTD.	
PART NUMBER <b>IPP2</b>			
SIZE <b>A4</b>	SCALE <b>NTS</b>	DRAWN IN ACCORDANCE WITH ISO STANDARDS	<b>UNLESS OTHERWISE SPECIFIED</b> 1. DIMENSIONS ARE IN MM 2. DIMENSIONAL LIMITS APPLY AFTER PLATING / COATING 3. REMOVE ALL BURRS AND BREAK EDGES .25 MAX 4. MACHINE FILLET RADIUS .25 MAX 5. MACHINED SURFACES FLAT WITHIN 0.08 mm/mm 6. NON-MACHINED SURFACES FLAT WITHIN 0.25 mm/mm 7. DIAMETERS ON COMMON CL TO BE CONCENTRIC WITHIN 0.13 8. PERPENDICULAR SURFACES TO BE SQUARE WITHIN .13 mm/mm 9. REFERENCE ( ) DIMENSIONS HAVE NO TOLERANCES
<b>RoHS Compliant?</b> <input checked="" type="checkbox"/>			